





Product data sheet - 68.24.05

24.11.2015

General Data			
Included in	Catalogues 450.00.30 (Kat. 8), 450.00.48 (Plastic), 450.00.54 (OMF Instr), 450.00.57 (Plastic), Brochures 451.02.36 (Cayman), 451.03.30 (Servotronic), 451.03.31 (Servo II), 451.08.13 (Distractions), 451.08.50 (Mikro Säg), 451.09.01 (bimax), 451.09.10 (Mainzer), 451.09.31 (Verona), 451.09.50 (Maastricht),		
Parts list	68.24.20 (1),		
Last update	2015-10-22		
Title	Micro Osseoscalpel saw		
Article number	68.24.05	Author	Sachse
Description	Osseoscalpel, micro saw with axial/sagittal cut, oscillating hub, especially suitable for three dimensional cutting; without saw blade, integrated irrigation tube, with fork wrench,		
Length	12,5 cm - 5"	Weight	
		Diameter	
Properties	recommended maximum speed: 20.000 rpm. With intra coupling acc. to DIN 13940/ISO-DIS 3964	Tip / Working end	
Article link		Sales unit	
Accessories	68.24.19, 68.24.20	Number / Size	
Complete picture		Detail images	
			
Quality management data			
Preparation instructions	MPK02		
Operation manuals	G682405_2006_06		
GTIN	4046826119065		
GMDN	44491		
Risk category EC	2a		
UMDNS	16-716		



III CMF III SURGICAL III NEURO+SPINE

medicon[®]

Product data sheet - 68.24.05

24.11.2015

Net weight	0.2010
------------	--------



Product data sheet - 68.24.05

24.11.2015

Materials			
	Material number	Description	Elements
Main component material	KEINE ANGABEN	Werkstoffangabe nicht vorhanden bzw. Stückliste	
Turned part material			
Handle material			
Others parts material			
Coating material			

Delivery mode	
---------------	--